



Gator-Flex®/Twin-Flex™ Grommets



GATOR-FLEX® NINE PART GROMMETS

U.S. Patent #5,561,973

Ultra flexible slings for that short heavy lift connection. These slings can be made shorter than standard multi-part slings, but maintain all of the advantages.



GATOR-FLEX® NINE PART GROMMETS

US Patent #5,561,973

Ultra flexible slings for that short heavy lift connection. These slings can be made shorter than standard Multi-Part slings but maintain all of the advantages.



Gator-Flex®/Twin-Flex™ Grommets

U.S. Patent #5,561,973

ENGINEERING SPECIFICATIONS FOR GATOR-FLEX® HEAVY LIFT GROMMETS

The Most Flexible Grommet in the World!

TWIN-FLEX™ SLINGS & GATOR-FLEX® GROMMETS (D/d = 5/1) RATED CAPACITY AT 5-1 D/F

PIN SIZE 5 x FD DIAMETER	9 PTS. WIRE ROPE SIZE	TONS (2,000 LBS.)			WT. PER FOOT LBS.
		VERTICAL	CHOKER	BASKET VERTICAL	
1"	1/4"	10	7	20	2
1-1/4"	5/16"	15	11	30	3
1-1/2"	3/8"	22	15	44	5
1-3/4"	7/16"	29	21	58	6
2"	1/2"	38	27	76	8
2 1/4"	9/16"	48	34	96	11
2-1/2"	5/8"	59	42	118	13
3"	3/4"	85	59	170	19
3-1/2"	7/8"	115	81	230	25
4"	1"	148	104	296	33
4-1/2"	1-1/8"	187	131	374	42
5"	1-1/4"	230	161	460	52
5-1/2"	1-3/8"	276	194	552	63
6"	1-1/2"	328	230	656	75
7"	1-3/4"	441	308	882	102
8"	2"	570	399	1140	133
9"	2-1/4"	711	498	1422	168
10"	2-1/2"	870	609	1740	209
11"	2-3/4"	1040	728	2080	250
12"	3"	1224	857	2448	300

TESTED AND CERTIFIED TO ANY STANDARD — YOU SPECIFY WE COMPLY!

Follow OSHA, ANSI B30.9 and Manufacturers Guidelines. Can fail if damaged, misused or overloaded. Inspect before use. Use only if trained. Do not exceed rated capacity. Protect sling from contact with edges. DEATH or INJURY can occur from improper use or maintenance.

